

Appendix IV

Summary Reports by Community, Towns A-L

| Community | Prevalence (%) | 95% Confidence Interval | | | Comparison with Statewide Prevalence |
|-------------|----------------|-------------------------|---|------|---|
| Abington | 11.3 | 9.9 | | 12.7 | Not statistically significantly different |
| Acushnet | 6.4 | 5.0 | - | 7.7 | Statistically significantly lower |
| Agawam | 8.9 | 7.9 | - | 9.9 | Statistically significantly lower |
| Amesbury | 7.7 | 6.4 | - | 8.9 | Statistically significantly lower |
| Andover | 9.4 | 8.6 | - | 10.2 | Not statistically significantly different |
| Arlington | 6.7 | 5.9 | - | 7.4 | Statistically significantly lower |
| Ashland | 5.3 | 4.3 | - | 6.3 | Statistically significantly lower |
| Attleboro | 11.2 | 10.3 | - | 12.1 | Statistically significantly higher |
| Auburn | 10.1 | 8.7 | - | 11.6 | Not statistically significantly different |
| Avon | 11.7 | 8.8 | - | 14.6 | Not statistically significantly different |
| Ayer | 10.9 | 9.0 | - | 12.8 | Not statistically significantly different |
| Barnstable | 5.5 | 4.7 | - | 6.2 | Statistically significantly lower |
| Bedford | 9.6 | 8.2 | - | 11.1 | Not statistically significantly different |
| Belchertown | 8.1 | 6.9 | - | 9.4 | Statistically significantly lower |
| Bellingham | 6.6 | 5.5 | - | 7.7 | Statistically significantly lower |
| Belmont | 6.6 | 5.7 | - | 7.5 | Statistically significantly lower |
| Berkley | 6.3 | 4.8 | - | 7.9 | Statistically significantly lower |
| Berlin | 9.4 | 5.7 | - | 13.0 | Not statistically significantly different |
| Beverly | 9.4 | 8.5 | - | 10.2 | Not statistically significantly different |
| Billerica | 6.8 | 6.1 | - | 7.5 | Statistically significantly lower |
| Boston | 12.5 | 12.2 | - | 12.8 | Statistically significantly higher |
| Bourne | 7.3 | 6.3 | - | 8.4 | Statistically significantly lower |
| Braintree | 12.2 | 11.2 | - | 13.3 | Statistically significantly higher |
| Brockton | 11.7 | 11.1 | - | 12.3 | Statistically significantly higher |
| Brookline | 9.1 | 8.3 | - | 9.8 | Statistically significantly lower |
| Burlington | 7.0 | 6.1 | - | 8.0 | Statistically significantly lower |
| Cambridge | 9.7 | 9.0 | - | 10.4 | Not statistically significantly different |
| Canton | 11.0 | 9.7 | - | 12.3 | Not statistically significantly different |
| Carlisle | 4.7 | 3.2 | - | 6.1 | Statistically significantly lower |
| Carver | 12.9 | 11.2 | - | 14.7 | Statistically significantly higher |
| Chatham | 8.9 | 6.4 | - | 11.5 | Not statistically significantly different |
| Chelmsford | 11.3 | 10.3 | - | 12.2 | Statistically significantly higher |
| Chelsea | 11.8 | 10.8 | - | 12.8 | Statistically significantly higher |
| Chicopee | 10.4 | 9.6 | - | 11.2 | Not statistically significantly different |
| Clarksburg | 22.1 | 16.3 | - | 27.9 | Statistically significantly higher |
| Clinton | 5.2 | 4.0 | - | 6.4 | Statistically significantly lower |
| Cohasset | 5.8 | 4.5 | - | 7.2 | Statistically significantly lower |
| Concord | 9.4 | 8.3 | - | 10.6 | Not statistically significantly different |
| Conway | 10.6 | 5.5 | - | 15.7 | Not statistically significantly different |
| Danvers | 9.7 | 8.6 | - | 10.7 | Not statistically significantly different |

| Community | Prevalence (%) | 95% Confidence Interval | | | Comparison with Statewide Prevalence |
|------------------|----------------|-------------------------|---|------|---|
| Dartmouth | 10.8 | 9.7 | - | 11.9 | Not statistically significantly different |
| Dedham | 11.9 | 10.6 | - | 13.3 | Statistically significantly higher |
| Douglas | 10.3 | 8.5 | - | 12.0 | Not statistically significantly different |
| Dracut | 11.4 | 10.3 | - | 12.5 | Statistically significantly higher |
| Duxbury | 8.7 | 7.6 | - | 9.8 | Statistically significantly lower |
| East Bridgewater | 7.4 | 6.2 | - | 8.6 | Statistically significantly lower |
| East Longmeadow | 9.4 | 8.1 | - | 10.7 | Not statistically significantly different |
| Easthampton | 5.6 | 4.5 | - | 6.8 | Statistically significantly lower |
| Easton | 8.3 | 7.3 | - | 9.3 | Statistically significantly lower |
| Edgartown | 2.6 | 0.9 | - | 4.2 | Statistically significantly lower |
| Erving | 17.5 | 11.3 | - | 23.7 | Statistically significantly higher |
| Everett | 11.1 | 10.0 | - | 12.1 | Not statistically significantly different |
| Fairhaven | 10.7 | 9.2 | - | 12.1 | Not statistically significantly different |
| Fall River | 12.9 | 11.4 | - | 14.5 | Statistically significantly higher |
| Falmouth | 11.0 | 9.9 | - | 12.2 | Not statistically significantly different |
| Fitchburg | 12.9 | 12.0 | - | 13.8 | Statistically significantly higher |
| Florida | 11.1 | 4.9 | - | 17.3 | Not statistically significantly different |
| Foxborough | 13.1 | 11.9 | - | 14.3 | Statistically significantly higher |
| Framingham | 9.0 | 8.3 | - | 9.7 | Statistically significantly lower |
| Franklin | 9.2 | 8.4 | - | 10.0 | Statistically significantly lower |
| Freetown | 6.0 | 3.9 | - | 8.1 | Statistically significantly lower |
| Gardner | 12.9 | 11.6 | - | 14.2 | Statistically significantly higher |
| Georgetown | 8.4 | 6.8 | - | 10.1 | Not statistically significantly different |
| Gloucester | 9.9 | 8.8 | - | 11.0 | Not statistically significantly different |
| Grafton | 10.2 | 8.9 | - | 11.6 | Not statistically significantly different |
| Granby | 13.3 | 11.0 | - | 15.7 | Statistically significantly higher |
| Granville | 10.2 | 6.2 | - | 14.3 | Not statistically significantly different |
| Greenfield | 13.5 | 11.7 | - | 15.2 | Statistically significantly higher |
| Hadley | 7.5 | 5.2 | - | 9.7 | Statistically significantly lower |
| Hancock | 4.5 | -1.6 | - | 10.7 | Not statistically significantly different |
| Hanover | 7.8 | 6.6 | - | 8.9 | Statistically significantly lower |
| Harvard | 7.9 | 6.2 | - | 9.7 | Statistically significantly lower |
| Harwich | 3.2 | 2.2 | - | 4.2 | Statistically significantly lower |
| Hatfield | 8.2 | 5.2 | - | 11.3 | Not statistically significantly different |
| Haverhill | 11.6 | 10.8 | - | 12.4 | Statistically significantly higher |
| Hingham | 8.5 | 7.5 | - | 9.6 | Statistically significantly lower |
| Holbrook | 9.5 | 7.9 | - | 11.1 | Not statistically significantly different |
| Holliston | 10.0 | 8.7 | - | 11.3 | Not statistically significantly different |
| Holyoke | 18.3 | 17.3 | - | 19.3 | Statistically significantly higher |
| Hopedale | 5.1 | 3.6 | - | 6.6 | Statistically significantly lower |
| Hopkinton | 6.4 | 5.4 | - | 7.4 | Statistically significantly lower |
| Hudson | 7.7 | 6.5 | - | 9.0 | Statistically significantly lower |
| Hull | 9.2 | 7.6 | - | 10.8 | Not statistically significantly different |
| Ipswich | 5.5 | 4.3 | - | 6.7 | Statistically significantly lower |
| Lawrence | 14.3 | 13.7 | - | 15.0 | Statistically significantly higher |
| Lee | 7.8 | 5.8 | - | 9.9 | Statistically significantly lower |
| Leicester | 9.7 | 7.6 | - | 11.8 | Not statistically significantly different |

| Community | Prevalence (%) | 95% Confidence Interval | | | Comparison with Statewide Prevalence |
|------------|----------------|-------------------------|---|------|---|
| Lenox | 11.3 | 8.8 | - | 13.8 | Not statistically significantly different |
| Leominster | 9.0 | 8.2 | - | 9.9 | Statistically significantly lower |
| Lexington | 7.2 | 6.5 | - | 8.0 | Statistically significantly lower |
| Lincoln | 9.7 | 8.0 | - | 11.3 | Not statistically significantly different |
| Littleton | 7.5 | 6.1 | - | 9.0 | Statistically significantly lower |
| Longmeadow | 8.4 | 7.4 | - | 9.5 | Statistically significantly lower |
| Lowell | 11.5 | 10.9 | - | 12.0 | Statistically significantly higher |
| Ludlow | 9.7 | 8.5 | - | 10.9 | Not statistically significantly different |
| Lunenburg | 9.3 | 7.7 | - | 10.8 | Not statistically significantly different |
| Lynn | 9.8 | 9.2 | - | 10.3 | Not statistically significantly different |
| Lynnfield | 8.2 | 7.0 | - | 9.4 | Statistically significantly lower |